



## **Prioninae**

Latreille, 1802

### **Aegosomatini**

Thomson, 1861

*Aegosomitæ* Thomson, 1861: 308  
*Oegosomites* Fairmaire, 1868: 191  
*Aegosomides* Lacordaire, 1869: 153  
*Catypnides* Lacordaire, 1869: 62  
*Mégopides* Lameere, 1912: 181  
*Callipogonini* (*Megopides*) Lameere, 1913: 37  
*Callipogonina* Plavilstshikov, 1927: 11 [Part.]  
*Callipoginini* Winckler, 1929: 1135 [Part.]  
*Megopidini* Gressitt, 1940: 20  
*Aegosomatini* Quentin & Villiers, 1975: 236  
*Megopodini* Makihara et al., 2008: 96

### **Aegolipton**

Gressitt, 1940

[Désignation orig.] *Cerambyx marginalis* Fabricius, 1775

#### 1 **Aegolipton acehense Komiya, 2005**

*Aegolipton acehense* Komiya, 2005: 168 ([Holotype] Indonesia, Sumatra: Aceh, near Kutacane NMST)

#### 2 **Aegolipton argopuronum Komiya, 2005**

*Aegolipton argopuronum* Komiya, 2005: 176 ([Holotype] Indonesia, East Java: Mt. Argopuro NMST)

#### 3 **Aegolipton babai (Komiya & Makihara, 2001)**

*Megopis babai* Komiya & Makihara, 2001: 34 ([Holotype] Indonesia, North Sumatra: Berastagi NMST)  
*Aegolipton babai*; Komiya, 2005: 167 [comb. nov.]

#### 4 **Aegolipton bawangum Komiya, 2005**

*Aegolipton bawangum* Komiya, 2005: 160 ([Holotype] West Kalimantan (île de Borneo): Mt. Bawang, near Sinkawang NMST)

#### 5 **Aegolipton costatum (Lansberge, 1884)**

*Megopis costata* Lansberge, 1884: 158 ([Syntypes] Java, Sumatra Mus. Leyden) (Makihara et al., 2002: 190)  
*Megopis* (*Baralipton*) *costata*; Lameere, 1909: 157 (Lameere, 1913 [catalogue]: 42)  
*Aegolipton costatum*; Komiya, 2005: 174 (Drumont & Dauber, 2012: 23)

#### 6 **Aegolipton costatum sticheri (Lackerbeck, 2000)**

*Megopis* (*Baralipton*) *sticheri* Lackerbeck, 2000: 190 ([Holotype] Sumbawa ZSMC)  
*Aegolipton costatum* subsp. *sticheri*; Komiya, 2005: 174 [comb. nov.] [stat. nov.] (Drumont & Dauber, 2012: 23)

#### 7 **Aegolipton costatum timorum Komiya, 2005**

*Aegolipton costatum* subsp. *timorum* Komiya, 2005: 175 ([Holotype] Indonesia, West Timor: Mt. Mutis NMST) (Drumont & Dauber, 2012: 23)

#### 8 **Aegolipton fimbriatum (Lansberge, 1884)**

*Aegosoma fimbriatum* Lansberge, 1884: 157 ([Syntypes] Solok (Sumatra) Mus. Leyden)  
*Megopis* (*Baralipton*) *fimbriata*; Lameere, 1909: 156 (Lameere, 1913: 42 [catalogue])  
*Megopis fimbriata*; Komiya, 2001: 36  
*Aegolipton fimbriatum*; Komiya, 2005: 166

#### 9 **Aegolipton gahani (Lameere, 1909)**

*Megopis* (*Baralipton*) *Gahani* Lameere, 1909: 156 ([Holotype] îles Nicobar BMNH) (Lameere, 1913: 42 [catalogue])  
*Aegolipton gahani*; Komiya, 2005: 169 [comb. nov.] (Majumder et al., 2014: 853)  
*Aegoliptongahani*; Mitra & al., 2014: 47 [misspelling]

#### 10 **Aegolipton gracile Komiya, 2005**

*Aegolipton gracile* Komiya, 2005: 176 ([Holotype] East Malaysia, Sarawak: Kuchin NMST)

#### 11 **Aegolipton kinabalum Komiya, 2005**

*Aegolipton kinabalum* Komiya, 2005: 158 ([Holotype] East Malaysia, Sabah: Mt. Kinabalu NMST)

#### 12 **Aegolipton kolleri (Lameere, 1909)**

*Megopis* (*Baralipton*) *Kolleri* Lameere, 1909 ([Syntypes] Sumatra ISNB) (Lameere, 1913: 42 [catalogue])  
*Aegolipton kolleri*; Komiya, 2005: 161 [Lectotype] [comb. nov.]

#### 13 **Aegolipton kolleri nisikawai Komiya, 2005**

*Aegolipton kolleri* subsp. *nisikawai* Komiya, 2005: 162 ([Holotype] West Kalimantan: Mt. Bawang, near Sinkawang NMST)



- 14 **Aegolipton kumei Komiya, 2005**  
*Aegolipton kumei* Komiya, 2005: 154 ([Holotype] southern Vietnam, Lam Dong Province: Mt. Bao Loc NMST)
- 15 **Aegolipton lackerbecki Komiya, 2005**  
*Aegolipton lackerbecki* Komiya, 2005: 163 ([Holotype] Indonesia, Sumatra (South Sumatra): Mt. Dempo NMST)
- 16 **Aegolipton marginale (Fabricius, 1775)**  
*Cerambyx marginalis* Fabricius, 1775: 169 ([Holotype] in Cap. B. S. BMNH)  
*Aegosoma marginale* ; White, 1853: 31 (Gahan, 1906: 45)  
*Aegosoma Marginale* ; Lansberge, 1884: 156  
*Megopis (Baralioptan) marginalis* ; Lameere, 1909: 152 (Lameere, 1913: 42 [catalogue] ; Gilmour, 1954: 36)  
*Megopis marginalis* ; Gressitt, 1939 (Wang, 2003: 41)  
*Megopis (Aegolipton) marginalis* ; Gressitt, 1940: 23  
*Megopis (Aegolipton) marginalis* ; Gressitt, 1951: 15 (Nakamura et al., 1992: 6)  
*Aegolipton marginale* ; Komiya, 2005: 152 [comb. nov.] (Feng, 2007: 89 ; Drumont & Komiya in Löbl & Smetana, 2010: 87 [catalogue] ; Wu & Chen, 2012: 45 ; Jingke et al., 2014: 77 [chorology Chine] ; Drumont & Bi, 2014: 206 [cliché] ; Majumder et al., 2014: 853 ; Kumawat, 2015 : 7881 [Arunachal Pradesh])  
☐  
*Aegosoma javanicum* Redtenbacher, 1868: 202 ([Holotype] Java NMW)  
☐  
*Aegolipton yunnanensis* Feng & Chen, 2007: 717 ([Holotype] Chine, Yunnan, Shuangjiang SACA) (Feng, 2007: 90 ; Drumont et al. in Löbl & Smetana, 2010: 38 [synonymie])
- 17 **Aegolipton meiyngae Drumont & Bi, 2014**  
*Aegolipton meiyngae* Drumont & Bi, 2014: 207 ([Holotype] China, Hainan, Lingshui County, Diaoluoshan, alt. 950 m SNUC)
- 18 **Aegolipton mizunumai Komiya, 2005**  
*Aegolipton mizunumai* Komiya, 2005: 153 ([Holotype] Thailand, Chiang Mai: Fang NMST)
- 19 **Aegolipton peninsulare Komiya, 2005**  
*Aegolipton peninsulare* Komiya, 2005: 159 ([Holotype] West Malaysia: Cameron Highlands from middle mountains of the Malay Peninsula NMST)
- 20 **Aegolipton pustuliferum Komiya, 2005**  
*Aegolipton pustuliferum* Komiya, 2005: 169 ([Holotype] East Malaysia, Sabah: Tenom, Shipitang NMST)
- 21 **Aegolipton pustuliferum lineatigranulum Komiya, 2005**  
*Aegolipton pustuliferum* subsp. *lineatigranulum* Komiya, 2005: 173 ([Holotype] East Malaysia, Sabah: Keningau NMST)
- 22 **Aegolipton reflexum (Karsch, 1881)**  
*Aegosoma reflexum* Karsch, 1881: 7 ([Holotype] Grove Ranche ZMHB)  
*Megopis (Baralioptan) reflexa*; Lameere, 1909: 158 (Lameere, 1913: 42 [catalogue])  
*Aegolipton reflexum*; Komiya, 2005: 153
- 23 **Aegolipton roubali Komiya, Drumont & Lorenc, 2012**  
*Aegolipton roubali* Komiya, Drumont & Lorenc, 2012: 108 ([Holotype] Vietnam, Kon Tum Prov., Mt. Ngoc Linh ISBN) (Drumont & Ivanov, 2016: 103 [cliché])
- 24 **Aegolipton sauteri (Lameere, 1913)**  
*Megopis (Baralioptan) Sauteri* Lameere, 1913: 175 ([Holotype] Formosa Kosempo DEIB)  
*Megopis sauteri*; Yoshida, 1931  
*Megopis (Baralioptan) sauteri*; Matsushita, 1933: 165  
*Megopis (Aegolipton) sauteri*; Gressitt, 1940: 22  
*Megopis (Aegolipton) sauteri*; Gressitt, 1951: 15 (Nakamura et al., 1992: 6 ; Nara, 2002: 22)  
*Aegolipton sauteri*; Komiya, 2005: 159 (Feng, 2007: 89 ; Löbl & Smetana, 2010: 87 [catalogue] ; Jingke et al., 2014: 77 [chorology Chine])
- 25 **Aegolipton tavakiliani Drumont & Do, 2017**  
*Aegolipton tavakiliani* Drumont & Do, 2017: 107 ([Holotype] Bach Ma, Thua Thien Hue province, central Vietnam ISBN)
- Aegosoma**  
Audinet-Serville, 1832  
[Désignation subséquente de Thomson, 1864: 288] *Cerambyx scabricornis* Scopoli, 1763  
*Megopis (Aegosoma)* Lameere, 1909: 137
- 26 **Aegosoma annulicornis (Komiya, 2001)**  
*Megopis (Aegosoma) annulicornis* Komiya, 2001: 343 ([Holotype] Sabah, Borneo NMST)  
*Aegosoma annulicornis*; Drumont & Barclay, 2012: 85 [Brunei] (Komiya & Drumont, 2012: 91 [clef] ; Drumont et al., 2013: 117 [Clef Group giganteum] ; Do & Drumont, 2014: 291 ; Do, 2015: 234 [Group giganteum])
- 27 **Aegosoma cuneicornis (Komiya, 2000)**  
*Megopis (Aegosoma) cuneicornis* Komiya, 2000: 421 ([Holotype] western Thailand, Mae Sot NMST) (Do & Drumont, 2014: 291 ; Do, 2015: 234 [Group katsurai])
- 28 **Aegosoma doi Drumont & Ivanov, 2016**  
*Aegosoma doi* Drumont & Ivanov, 2016: 100 ([Holotype] central Vietnam, Thua Thien Hue province, Mt. Bach Ma, 1400m ISBN)



- 29 **Aegosoma george Do, 2015**  
*Aegosoma george* Do, 2015: 235 ([Holotype] Vietnam, Bidoup National Park, Lam Dong Province VNMN) [Group scabricorne] (Drumont & Do, 2017: 109 [true female])  
*Aegosoma geroge*; Ren et al., 2016: 416 [misspelling][Yunnan]
- 30 **Aegosoma giganteum Lansberge, 1884**  
*Aegosoma Giganteum* Lansberge, 1884: 156 [mâle] ([Holotype] Solok (Sumatra) Mus.Leyden RNHL)  
*Megopis (Aegosoma) gigantea*; Lameere, 1909: 140 (Lameere, 1913: 40 [catalogue])  
*Aegosoma gigantea*; Komiya & Drumont, 2012: 91 [clef] (Drumont et al., 2013: 117 [Clef Group giganteum])  
*Aegosoma giganteum*; Do & Drumont, 2014: 291 (Do, 2015: 234 [Group giganteum])  
  
*Aegosoma incertum* Gahan, 1907: 68 ([Holotype] Sumatra: Pangherang-Pisang MCSN)
- 31 **Aegosoma guerryi (Lameere, 1915)**  
*Megopis (Aegosoma) Guerryi* Lameere, 1915: 324 [Holotype] Haut Yunnan MNHN  
*Megopis (Aegosoma) guerryi*; Gressitt, 1951: 15  
*Megopis guerryi*; Hua, 2002: 214  
*Spinimegopis guerryi*; Feng, 2007: 105  
*Aegosoma guerryi*; Löbl & Smetana, 2010: 87 [catalogue] (Do & Drumont, 2014: 291; Jingke et al., 2014: 77 [chorology Chine]; Do, 2015: 234 [Group scabricorne]; Ren et al., 2016: 420)
- 32 **Aegosoma hainanense Gahan, 1900**  
*Aegosoma hainanensis* Gahan, 1900: 347 ([Holotype] Hainan BMNH)  
*Megopis (Aegosoma) sinica* subsp. *hainanensis*; Lameere, 1909: 139 (Lameere, 1913: 39 [catalogue])  
*Megopis sinica hainanensis*; Hua, 2002: 214  
*Aegosoma sinica* subsp. *hainanensis*; Feng, 2007: 93 (Wu & Chen, 2012: 45)  
*Aegosoma sinicum* subsp. *hainanensis*; Löbl & Smetana, 2010: 87 [catalogue]  
*Aegosoma hainanensis*; Danilevsky, 2011: 8 [stat. reval.] (Do & Drumont, 2014: 291; Do, 2015: 234 [Group scabricorne]; Ren et al., 2016: 418)  
*Aegosoma hainanense* subsp. *hainanense*; Jingke et al., 2014: 78 [chorology Chine]  
  
*Megopis mushensis* Kano, 1933: 259 ([Holotype] Kyûhabon (5500 ft. in alt.) near Musha, Central Formosa Coll.Kano NMST) (Gressitt, 1951: 16 [synonymie]; Feng, 2007: 100)  
*Megopis mushense*; Ren et al., 2016: 418 [synonymie]
- 33 **Aegosoma hainanense legrandi Komiya & Drumont, 2012**  
*Aegosoma sinicum* subsp. *legrandi* Komiya & Drumont, 2012: 92 ([Holotype] East Malaysia, Sabah state, Ranau ISNB) (Do & Drumont, 2014: 291)  
*Aegosoma hainanensis* subsp. *legrandi*; Do, 2015: 234 [Group scabricorne]
- 34 **Aegosoma ivanovi Danilevsky, 2011**  
*Aegosoma ivanovi* Danilevsky, 2011: 2 ([Holotype] Russia: Primorskii krai, Chernigovka district, about 3 km eastwards Merkushevka IEME) (Danilevsky, 2014: 36; Do & Drumont, 2014: 291; Do, 2015: 234 [Group scabricorne])
- 35 **Aegosoma katsurai (Komiya, 2000)**  
*Megopis (Aegosoma) katsurai* Komiya, 2000: 419 ([Holotype] Vietnam, Lao Cai Province (northern Vietnam), Sapa NMST)  
*Aegosoma katsurai*; Drumont & Komiya, 2008: 179 (Drumont & Komiya in Löbl & Smetana, 2010: 87 [catalogue]; Weigel, 2012: 407 [Inde]; Do & Drumont, 2014: 291; Jingke et al., 2014: 78 [chorology Chine]; Do, 2015: 234 [Group katsurai]; Ren et al., 2016: 420)
- 36 **Aegosoma kusamai (Komiya, 1999)**  
*Megopis (Aegosoma) kusamai* Komiya, 1999: 55 ([Holotype] Myanmar: Tenasserim; Myin Thi Kawkareik NMST)  
*Aegosoma kusamai*; Do & Drumont, 2014: 291 (Do, 2015: 234 [Group kusamai])
- 37 **Aegosoma musaamani Drumont, Do & Bosuang, 2013**  
*Aegosoma musaamani* Drumont, Do & Bosuang, 2013: 114 ([Holotype] East Malaysia, Sabah state, Trus madi Mts., Crocker Range ISNB) (Do & Drumont, 2014: 291; Do, 2015: 234 [Group giganteum])
- 38 **Aegosoma ornatocolle White, 1853**  
*Aegosoma ornatocolle* White, 1853: 27 ([Holotype] E. Indies BMNH) (Gahan, 1906: 45)  
*Megopis (Aegosoma) sinica ornatocollis*; Lameere, 1909: 138 (Lameere, 1913: 39 [catalogue]; Gressitt, 1951: 17)  
*Megopis sinica ornatocollis*; Wang & Chiang, 1988: 146 [misspelling]  
*Aegosoma sinica ornatocollis*; Feng, 2007: 93 (Wu & Chen, 2012: 45)  
*Aegosoma sinicum* subsp. *ornatocolle*; Drumont & Komiya in Löbl & Smetana, 2010: 87 [catalogue]  
*Aegosoma ornatocolle*: Basak & Biswas, 1985: 215 [Namdhapa] (Mukhopadhyay & Biswas, 2000: 49 [Meghalaya]; Mukhopadhyay & Halder, 2004: 425 [Manipur]; Danilevsky, 2011: 9 [stat. reval.]; Do & Drumont, 2014: 291; Jingke et al., 2014: 78 [chorology Chine]; Majumder et al., 2014: 853; Do, 2015: 234 [Group scabricorne]; Mitra et al., 2016: 20 [Manipur]; Ren et al., 2016: 420)
- 39 **Aegosoma ossea Aurivillius, 1897**  
*Aegosoma ossea* Aurivillius, 1897: 242 ([Holotype] Borneo: Kina Balu NHRS) (Drumont & Barclay, 2012: 85 [Brunei]; Komiya & Drumont, 2012: 91 [clef]; Drumont et al., 2013: 117 [Clef Group giganteum]; Do & Drumont, 2014: 291; Do, 2015: 234 [Group giganteum])  
*Megopis (Aegosoma) gigantea* Lameere, 1909: 140 (nec Lansberge, 1884) (Lameere, 1913: 40 [catalogue])  
*Megopis gigantea* Lameere, 1919: 73 (nec Lansberge, 1884)  
*Megopis ossea* Komiya, 2001: 19  
*Megopis (Aegosoma) ossea* Komiya, 2001: 345



40 **Aegosoma pallida Komiya & Drumont, 2012**

*Aegosoma pallida* Komiya & Drumont, 2012: 89 ([Holotype] East Malaysia, Sabah state, Crocker Range ISBN) (Drumont et al., 2013: 117 [Clef Group giganteum] ; Do & Drumont, 2014: 291 ; Do, 2015: 234 [Group giganteum])

41 **Aegosoma pseudornaticolle Ripaille & Drumont, 2017**

*Aegosoma pseudornaticolle* Ripaille & Drumont, 2017: 99 ([Holotype] China, Sichuan province, Mts Nan Jiang, Micang Shan ISBN)

42 **Aegosoma scabricorne (Scopoli, 1763)**

*Cerambyx Scabricornis* Scopoli, 1763: 54 ([Holotype] Carniolia media Unknown)

*Prionus scabricornis*; Olivier, 1795: 35 (Fabricius, 1801: 258 ; Illiger, 1805: 106)

*Cerambyx eques* Voet, 1778: 25 [femelle]

*Aegosoma scabricorne*; Audinet-Serville, 1832: 163 (Laporte de Castelnau, 1840: 399 ; Thomson, 1864: 288)

*Aegosome scabricorne*; Blanchard, 1845: 166

*Aegosoma (Prionus) scabricorne*; Perris, 1877: 258

*Megopis (Aegosoma) scabricornis*; Lameere, 1909: 139 (Lameere, 1913: 39 [catalogue] ; Gilmour, 1954: 36)

*Aegosoma scabricornis*; Heyrovský, 1930: 7

*Megopis scabricornis*; Plavilstshikov, 1936: 482 (Bense, 1995: 101)

*Aegosoma scabricorne*; Villiers, 1978: 64 (Bijiaoui, 1986: 2 ; Sama, 2002: 9 ; Sama et al., 2005: 441 ; Özdikmen, 2006: 73 ; Rapuzzi & Sama, 2006: 168 ; Sláma, 2006: 4 ;

Feng, 2007: 92 ; Sama et al., 2008: 104 ; Allemand et al., 2009: 59 ; Maican & Serafim, 2009: 421 [Turquie] ; Löbl & Smetana, 2010: 87 [catalogue] ; Valladares &

Cocquempot, 2013: 263 ; Danilevsky, 2014: 37 ; Do & Drumont, 2014: 291 ; Özdikmen et al., 2014: 267 [Iraq] ; Jingke et al., 2014: 95 [doubtful in China] ; Do, 2015: 234

[Group scabricorne] ; Cocquempot et al., 2016: 95 [Liban] ; Ren et al., 2016: 422 [confirmed in China]

*Aegosoma (Megopis) scabricorne*; Rapuzzi, 2002: 179

*Aegosoma ferrugineum* Reiche, 1854: 81 [nomen nudum]

43 **Aegosoma sinicum White, 1853**

*Aegosoma sinicum* White, 1853: 30 ([Holotype] Shanghai, N. China BMNH) (Bates, 1873: 150)

*Megopis (Aegosoma) sinica sinica* ; Lameere, 1909: 138 (Lameere, 1913: 39 [catalogue])

*Megopis sinica* ; Ohbayashi, 1964: 37 (Wang, 2003: 41)

*Megopis (Megopis) sinica* ; Kojima & Hayashi, 1969

*Megopis (Aegosoma) sinica* ; Nakamura et al., 1992: 6 (Nara, 2002: 22 ; Ohbayashi & Niisato, 2007: 341 ; Kuprin & Litvinov, 2009: 29)

*Aegosoma sinica*; Feng, 2007: 94 (Do, 2015: 234 [Group scabricorne])

*Aegosoma sinicum* ; Löbl & Smetana, 2010: 87 [catalogue] (Danilevsky, 2011: 6 ; Danilevsky, 2014: 35 ; Do & Drumont, 2014: 291 ; Ren et al., 2016: 422)

*Aegosoma sinica sinica* ; Wu & Chen, 2012: 45

*Aegosoma sinicum subsp. sinicum* ; Löbl & Smetana, 2010: 87 [catalogue] (Jingke et al., 2012: 51 [chorology Chine] ; Danilevsky, 2014: 36 ; Jingke et al., 2014: 78

[chorology Chine] ; Lin, 2014 [Shaanxi])

*Aegosoma amplicollis* Motschulsky, 1854: 48 ([Type] environs de Pékin ZMUM)

*Aegosoma amplicolle* ; Danilevsky, 2011: 6 ([Lectotype] China bor. ZMUM)

*Megopis (Aegosoma) sinica cornicula* Yoshida, 1931: 273 ([Holotype] Formosa, Rikosan Unknown)

44 **Aegosoma sinicum savoryi (Kusui, 1973)**

*Megopis sinica*; Kojima & Mitono, 1950 (nec White, 1853)

*Megopis (Aegosoma) sinica subsp. savoryi* Kusui, 1973: 119 ([Holotype] Kuwanokiyama, Haha-jima Is., Bonin Isls.) (Ohbayashi & Niisato, 2007: 342)

*Aegosoma sinicum subsp. savoryi*; Löbl & Smetana, 2010: 87 [catalogue] (Do & Drumont, 2014: 291)

45 **Aegosoma sinicum validicornis (Gressitt, 1951)**

*Megopis (Aegosoma) validicornis* Gressitt, 1951: 205 ([Holotype] Ishigaki (Yaeyama), Yaeyama Subgroup, Sakishima Group, Southern Ryukyu Islands TARI)

*Megopis validicornis*; Kojima & Hayashi, 1969: 5

*Megopis (Aegosoma) sinica validicornis*; Kusama, 1973: 5 (Ohbayashi & Niisato, 2007: 341)

*Aegosoma sinicum subsp. validicornis*; Löbl & Smetana, 2010: 87 [catalogue] (Do & Drumont, 2014: 291)

*Megopis (Aegosoma) sinica ogurai* Takakuwa, 1984: 137 ([Holotype] Ryukyus (Ishigaki Island): Mt. Banna NMST)

46 **Aegosoma xentoc Do & Drumont, 2014**

*Aegosoma xentoc* Do & Drumont, 2014: 291 ([Holotype] Bidoup National Park, Lam Dong Province, Vietnam VNMN) (Do, 2015: 233 [Group xentoc] ; Drumont & Ivanov, 2016: 102 [cliché])

## **Aerogrammus**

Bates, 1875

[Monotypie] *Aerogrammus rufus* Bates, 1875

47 **Aerogrammus procerus (Pascoe, 1866)**

*Megopis procera* Pascoe, 1866: 536 ([Holotype] Island of Penang, Malacca BMNH)

*Megopis (Aerogrammus) procera* ; Lameere, 1913: 41 [catalogue]

*Aerogrammus procerus* ; Komiya, 2004: 190 (Drumont et al., 2013: 11 [Thailande, Vietnam])

*Aerogrammus rufus* Bates, 1875: 51 ([Holotype] Interior of North-Western Borneo MNHN)

*Aerogrammus Rufus* ; Lansberge, 1884: 156



## **Baralipton** Thomson, 1857

[Monotypie] *Baralipton maculosum* Thomson, 1857

### 48 **Baralipton cheworum Komiya, 2003**

*Megopis (Baralipton) severini*; Lameere, 1909: 161 (Bornéo (Sanga-Sanga) BMNH) [pro parte]  
*Baralipton cheworum* Komiya, 2003: 48 ([Holotype] Mt. Trus Madi, Sabah, East Malaysia NMST)

### 49 **Baralipton dohrni (Lameere, 1909)**

*Megopis (Baralipton) Dohrni* Lameere, 1909: 160 ([Holotype] Ceylan (Colombo) Coll. Dohrn MZPW) (Lameere, 1913: 43 [catalogue])  
*Baralipton dohrni*; Lepesme & Breuning, 1952: 140  
*Megopis dohrni*; Drumont, 2003: 7  
*Baralipton dorhni*; Makihara et al., 2008: 96 [misspelling]

### 50 **Baralipton maculosum Thomson, 1857**

*Baralipton maculosum* Thomson, 1857: 342 ([Holotype] Asie orient. MNHN) (Thomson, 1864: 288; Gahan, 1906: 42; Komiya, 2003: 46; Drumont et al., 2007: 266; Feng, 2007: 96; Drumont & Komiya in Löbl & Smetana, 2010: 87 [catalogue]; Jingke et al., 2014: 78 [chorology Chine]; Majumder et al., 2014: 853; Kumawat et al., 2015: 7883 [Arunachal Pradesh])  
*Megopis (Baralipton) maculosa*; Lameere, 1909: 161 (Lameere, 1913: 43 [catalogue])  
*Megopis maculosa*; Hua, 2002: 214  
*Aegosoma (Baralipton) maculosa*; Jeniš, 2009: 14

### 51 **Baralipton severini (Lameere, 1909)**

*Megopis (Baralipton) Severini* Lameere, 1909: 161 ([Syntypes] Sumatra (Palembang) ISNB & Bornéo (Sanga-Sanga) BMNH) (Lameere, 1913: 43 [catalogue])  
*Baralipton severini*; Lepesme & Breuning, 1952: 140 (Komiya, 2003: 48 ([Lectotype] Sumatra Palembang ISNB); Feng, 2007: 96 [Chine]; Jingke et al., 2014: 95 [doubtful in China])  
*Megopis severini*; Hua, 2002: 214

## **Cyanolipton** Komiya, 2004

[Désignation orig.] *Aegosoma metallicum* Aurivillius, 1910

### 52 **Cyanolipton metallicum (Aurivillius, 1910)**

*Aegosoma metallicum* Aurivillius, 1910: 144 ([Holotype] Borneo: Matang NHRS)  
*Megopis (Baralipton) metallica*; Lameere, 1912: 169 (Lameere, 1913: 42 [catalogue])  
*Megopis metallica*; Komiya, 2001: 19  
*Cyanolipton metallicum*; Komiya, 2004: 422 [comb. nov.]

## **Dandamis** Gahan, 1906

[Désignation orig.] *Cyrtanops? nigropunctatus* Aurivillius, 1897

*Megopis (Dandamis) Lameere*, 1909: 150

### 53 **Dandamis nigropunctata (Aurivillius, 1897)**

*Cyrtanops ? nigropunctatus* Aurivillius, 1897: 243 ([Holotype] India orientalis: Tranquebar NHRS)  
*Dandamis nigropunctatus*; Gahan, 1906: 50 (Komiya & Drumont, 2013: 151)  
*Megopis (Dandamis) nigropunctata*; Lameere, 1909: 150 (Lameere, 1913: 41 [catalogue])  
*Dandamis nigropunctata*; Majumder & al., 2014: 853  
*Megopis nigropunctatus*; Nambodiri & Thirumalai, 2009: 92 [Tamil Nadu]

### 54 **Dandamis sabahensis (Hüdepohl, 1997)**

*Megopis (Nepiodes) sabahensis* Hüdepohl, 1997: 45 ([Holotype] Ost-Malaysia, Sabah: Mt. Kinabalu; Mt. Trus Madi ZSMA)  
*Rhineimegopis sabahensis*; Komiya & Drumont, 2001: 394 [comb. nov.]  
*Dandamis sabahensis*; Komiya & Drumont, 2013: 154 [comb. nov.]

### 55 **Dandamis tricostata (Duffy, 1952)**

*Megopis (Dandamis) tricostata* Duffy, 1952: 2 ([Holotype] South India, Shembaganur (Madurai) ISNB)  
*Dandamis tricostatus*; Komiya & Drumont, 2013: 152  
*Dandamis tricostata*; Majumder & al., 2014: 853

## **Dinoprius** Bates, 1875

[Monotypie] *Dinoprius cephalotes* Bates, 1875

### 56 **Dinoprius cephalotes Bates, 1875**

*Dinoprius cephalotes* Bates, 1875: 50 ([Holotype] India MNHN) (Gahan, 1906: 43; Mukhopadhyay & Halder, 2004: 425 [Manipur]; Drumont & Komiya in Löbl & Smetana, 2010: 87 [catalogue]; Weigel, 2012: 407; Majumder et al., 2014: 853; Drumont & Bi, 2015: 54 [Chine]; Drumont & Do, 2015: 97 [description female]; Mitra et al., 2016: 20 [Manipur])  
*Megopis (Dinoprius) cephalotes*; Lameere, 1909: 137 (Lameere, 1913: 39 [catalogue]; Komiya, 1999: 58)



57 **Dinoprius cooperi Drumont & Do, 2015**

*Dinoprius cooperi* Drumont & Do, 2015: 93 ([Holotype] Ba To, Quang Ngai province, Vietnam, 550 m IRSN)

**Komiyasoma**

Drumont & Do, 2013

[Désignation orig. & Monotypie] *Komiyasoma lei* Drumont & Do, 2013

58 **Komiyasoma lei Drumont & Do, 2013**

*Komiyasoma lei* Drumont & Do, 2013:98 ([Holotype] Southern Vietnam, Lam Dong prov., Bidoup Nui Ba National Park, 1700 m. elevation ISNB)

**Megobaralipton**

Lepesme & Breuning, 1952

[Désignation subséquente de *Komiya*, 2002: 220] *Aegosoma bicoloripes* Ritsema, 1881

59 **Megobaralipton bicoloripes (Ritsema, 1881)**

*Aegosoma bicoloripes* Ritsema, 1881: 151 ([Holotype] District of Rawas RMNH)

*Aegosoma Bicoloripes*; Lansberge, 1884: 156

*Megopis (Baralipton) bicoloripes*; Lameere, 1909: 153 (Lameere, 1913: 42 [catalogue])

*Megobaralipton bicoloripes*; Komiya, 2002: 222

60 **Megobaralipton granuliferum (Lansberge, 1887)**

*Aegosoma granuliferum* Lansberge, 1887: 143 [femelle] ([Holotype] Tandjong Morawa (Sumatra orient.) Mus.Leyden RMNH)

*Megopis (Baralipton) granulifera*; Lameere, 1909: 155 (Lameere, 1913: 42 [catalogue])

*Megobaralipton granuliferum*; Komiya, 2002: 230 [comb. nov.]

61 **Megobaralipton itohi Komiya, 2002**

*Megobaralipton itohi* Komiya, 2002: 224 ([Holotype] Esat Malaysia, Sabah: Keningau ; Trus Madi NMST)

62 **Megobaralipton kalimantanum (Komiya & Makihara, 2001)**

*Megopis kollerii*; Makihara, 1999 (nec Lameere, 1909)

*Megopis kamimantana* Komiya & Makihara, 2001: 37 ([Holotype] East Kalimantan, Indonesia, East Malaysia PPPB)

*Megobaralipton kalimantanum*; Komiya, 2002: 228

63 **Megobaralipton lansbergei (Lameere, 1909)**

*Megopis (Baralipton) lansbergei* Lameere, 1909: 154 ([Syntypes] Bornéo (Mont Kinibalu, à 1,500 m) ISNB & Nord de Bornéo BMNH) (Lameere, 1913: 42 [catalogue])

*Megobaralipton lansbergei*; Komiya, 2002: 230 [comb. nov.]

64 **Megobaralipton mandibulare (Fairmaire, 1899)**

*Aegosoma mandibulare* Fairmaire, 1899: 637 ([Syntypes] Formose, Fou-Tchéou, Amoy MNHN)

*Megopis (Baralipton) mandibularis*; Lameere, 1909: 152 (Lameere, 1913: 42 [catalogue])

*Megopis mandibularis*; Kato, 1933: 29

*Megopis (Aegolipton) mandibularis*; Gressitt, 1951: 14 (Nakamura et al., 1992: 6; Nara, 2002: 20)

*Megobaralipton mandibulare*; Komiya, 2002: 232 (Löbl & Smetana, 2010: 87 [catalogue]; Jingke et al., 2014: 79 [chorology Chine])

*Megobaralipton mandibularis*; Feng, 2007: 98

65 **Megobaralipton mindanaonis (Hüdepohl, 1987)**

*Megopis (Baralipton) mindanaonis* Hüdepohl, 1987: 129 ([Holotype] Philippines, Mindanao ZSMC)

*Megopis (Baralipton) bicoloripes*; Hüdepohl, 1987 (nec Ritsema, 1881)

*Megopis mindanaonis*; Matsuda, 1992

*Megobaralipton mindanaonis*; Komiya, 2002: 226 [comb. nov.]

66 **Megobaralipton suturale (Fisher, 1935)**

*Megopis (Aegolipton) suturalis* Fisher, 1935: 581: 581 ([Holotype] Mount Kinabalu : Kiau USNM)

*Megopis (Aegolipton) suturalis*; Hüdepohl, 1990: 286

*Megobaralipton suturale*; Komiya, 2002: 230 [comb. nov.] (Drumont & Barclay, 2012: 86 [Brunei])

**Megopis**

Audinet-Serville, 1832

[Monotypie] *Megopis mutica* Audinet-Serville, 1832

*Pachypleura* White, 1853 ([Monotypie] *Pachypleura modesta* White, 1853)

67 **Megopis edgerleyi Vinson, 1963**

*Megopis edgerleyi* Vinson, 1963: 204 ([Holotype] Mauritius : Macabé Forest BMNH) (Gomy, 2000: 93; Komiya & Drumont, 2009: 337 [sp. rev.])

*Megopis mutica*; Quentin & Villiers, 1975: 239 (nec Audinet-Serville, 1832)

68 **Megopis hirticollis Komiya & Drumont, 2009**

*Megopis hirticollis* Komiya & Drumont, 2009 ([Holotype] Île Maurice: Curepipe, Carié ISNB)





69 **Megopis modesta (White, 1853)**

*Pachypleura modesta* White, 1853 ([Lectotype] Afrique du Sud, KwaZulu-Natal: Durban (Port Natal) BMNH désigné par Quentin & Villiers, 1974) (Thomson, 1864)  
*Megopis modesta* Lacordaire, 1869 (Ferreira & Veiga Ferreira, 1952 ; Gomy, 2000 ; Komiya & Drumont, 2009)  
*Megopis mutica* Quentin & Villiers, 1975 (nec Audinet-Serville, 1832) (Drumont & Bjørnstad, 2005)  
*Megopis (Megopis) modesta* Lameere, 1909 (Lameere, 1913 [catalogue] ; Gilmour, 1954, 1956 ; Veiga Ferreira, 1964 ; Santos Ferreira, 1980)

70 **Megopis modesta coquerelii Fairmaire, 1880**

*Megopis Coquerelii* Fairmaire, 1880: 300 ([Holotype] île de la Réunion MNHN)  
*Megopis (Megopis) modesta* ; Lameere, 1909: 148 (nec White, 1853)  
*Megopis mutica* ; Quentin & Villiers, 1975: 238 (nec Audinet-Serville, 1832)  
*Megopis modesta* subsp. *coquerelii* ; Komiya & Drumont, 2009: 330

71 **Megopis mutica Audinet-Serville, 1832**

*Megopis mutica* Dejean in Audinet-Serville, 1832: 162 ([Syntypes] Ile-de-France BMNH) (White, 1853: 38 ; Thomson, 1864: 288 ; Quentin & Villiers, 1979: 114 ; Gomy, 2000: 93 ; Komiya & Drumont, 2009: 337 ([Lectotype] île de France MNHN))  
*Aegosoma mutica* ; Laporte de Castelnau, 1840: 399  
*Megopis (Megopis) mutica* ; Lameere, 1909: 147 (Lameere, 1913: 41 [catalogue])

*Aegosoma (Megopis) Lacordairei* Lameere, 1885: 4 ([Holotype] Île Maurice ISNB)  
*Megopis (Megopis) lacordairei* ; Lameere, 1909: 147  
*Megopis (Aegosoma) lacordairei* ; Damoiseau & Cools, 1987: 34

72 **Megopis vinsoni Quentin & Villiers, 1975**

*Megopis vinsoni* Quentin & Villiers, 1975: 242 [nomen nov.] ([Holotype] île Maurice: forêt Macabé MNHN) (Komiya & Drumont, 2009: 337)

*Aegosoma (Megopis) parallela* Lameere, 1909: 143 (nec Audinet-Serville, 1832)  
*Megopis parallela* Vinson, 1963: 203 (nec Audinet-Serville, 1832) (Komiya & Drumont, 2009: 337 [misspelling] [nomen nudum] [incertae sedis])

### **Metaegosoma**

Komiya & Drumont, 2012

[Désignation orig.] *Megasoma pici* Lameere, 1915

73 **Metaegosoma annamensis (Pic, 1930)**

*Megopis annamensis* Pic, 1930: 15 ([Holotype] Annam MNHN)  
*Megopis (Aegosoma) annamensis* Komiya, 2000: 423  
*Metaegosoma annamensis* Komiya & Drumont, 2012: 185 [comb. nov.]

74 **Metaegosoma pici (Lameere, 1915)**

*Megopis (Aegosoma) Pici* Lameere, 1915: 179 ([Syntypes] Yunnan, Tali MNHN)  
*Megopis (Aegosoma) pici* ; Gressitt, 1951: 16 (Komiya, 2010: 425)  
*Megopis pici* ; Hua, 2002: 214  
*Aegosoma pici* ; Feng, 2007: 92 (Löbl & Smetana, 2010: 87 [catalogue])  
*Metaegosoma pici* ; Komiya & Drumont, 2012: 183 [comb. nov.] (Jingke et al., 2014: 79 [chorology Chine])

### **Nepiodes**

Pascoe, 1867

[Monotypie] *Nepiodes cognatus* Pascoe, 1867

75 **Nepiodes bowringi (Gahan, 1894)**

*Aegosoma Bowringi* Gahan, 1894: 226 ([Syntypes] N. India, Sylhet BMNH)  
*Megopis (Megopis) bowringi* ; Lameere, 1909: 146 (Lameere, 1913: 41 [catalogue] ; Gressitt, 1950: 11)  
*Megopis bowringi* ; Weigel, 2006: 497  
*Nepiodes bowringi* ; Drumont et al. in Löbl & Smetana, 2010: 39 [comb. nov.] (Komiya & Drumont, 2010: 179 [clef] ([Lectotype] Sylhet BMNH) ; Majumder & al., 2014: 853 ; Kumawat et al., 2015: 7883 [Arunachal Pradesh] ; Mitra et al., 2016: 3964 [Nagaland])

76 **Nepiodes cinnamomeum (Lansberge, 1884)**

*Megopis Cinnamomea* Lansberge, 1884: 159 ([Holotype] Java, Mont Gedeh Coll. Lansberge MNHN)  
*Megopis (Nepiodes) cinnamomea* ; Lameere, 1909: 143 (Lameere, 1913 [catalogue]: 40)  
*Megopis cinnamomea* ; Makihara et al., 2002: 190 [misspelling]  
*Nepiodes cinnamomeum* ; Komiya & Drumont, 2010: 182 [comb. nov.]

77 **Nepiodes cinnamomeum birmanus Komiya & Drumont, 2010**

*Nepiodes cinnamomeum* subsp. *birmanus* Komiya & Drumont, 2010 ([Holotype] Myanmar, Tenasserim ISNB)

78 **Nepiodes cinnamomeum miyakei Komiya & Drumont, 2010**

*Nepiodes cinnamomeum* subsp. *miyakei* Komiya & Drumont, 2010 ([Holotype] Maxwell's Hill, West Malaysia NMST)

79 **Nepiodes cinnamomeum ritsemai (Lameere, 1912)**

*Megopis Ritsemai* Lameere, 1912 ([Syntypes] Sumatra RMNH)  
*Megopis (Nepiodes) ritsemai* Lameere, 1913 [catalogue]  
*Megopis (Barallipton) ritsemai* Robinson & Boden Kloss, 1931  
*Nepiodes cinnamomeum* subsp. *ritsemai* Komiya & Drumont, 2010 [stat. nov.] ([Lectotype] Sumatra, Solok RMNH)



80 **Nepiodes cognatus Pascoe, 1867**

*Nepiodes cognatus* Pascoe, 1867: 410 ([Holotype] Borneo BMNH) (Lansberge, 1884: 160 ; Komiya & Drumont, 2010: 172 [clef] ; Drumont et al., 2014: 120 [female])  
*Megopis (Nepiodes) cognata*; Lameere, 1909: 144 (Lameere, 1913: 40 [catalogue])

81 **Nepiodes costipennis (White, 1853)**

*Megopis costipennis* White, 1853: 28 ([Holotype] Sylhet BMNH) (Feng, 2007: 99 ; Wu & Chen, 2012: 45)  
*Aegosoma costipenne* ; Gahan, 1906: 49 (Stebbing, 1914: 279)  
*Megopis (Megopis) costipennis* ; Lameere, 1909: 147 (Lameere, 1913: 41 [catalogue])  
*Aegosoma costipenne* ; Mukhopadhyay & Biswas, 2000: 49 [Meghalaya] (Mukhopadhyay & Halder, 2004: 424 [Manipur])  
*Nepiodes costipennis subsp. costipennis* ; Drumont et al. in Löbl & Smetana, 2010: 40 [comb. nov.] (Jingke et al., 2014: 79 [chorology Chine] ; Kumawat et al., 2015: 7880)  
*Nepiodes costipennis* ; Komiya & Drumont, 2010: 186 [clef] (Majumder et al., 2014: 853 ; Mitra et al., 2016: 20 [Manipur])  
☒  
*Aegosoma lacertosum* Pascoe, 1867: 413 ([Holotype] Sylhet BMNH) (Drumont et al. in Löbl & Smetana, 2010: 38 [Synonymie])

82 **Nepiodes costipennis multicarinatus (Fuchs, 1966)**

*Megopis (Nepiodes) multicarinata* Fuchs, 1966: 19 ([Holotype] Djiring, Annam Coll. Schmid (ex. Coll. Fuchs))  
*Megopis (Megopis) costipennis* ; Gressitt & Rondon, 1970: 17 (nec White, 1853)  
*Nepiodes costipennis subsp. multicarinatus* ; Drumont et al. in Löbl & Smetana, 2010: 40 [comb. nov.] (Komiya & Drumont, 2010: 187 [clef] ; Weigel, 2012: 407 [Arunachal Pradesh] ; Jingke et al., 2014: 79 [chorology Chine])

83 **Nepiodes hefferni (Komiya, 2004)**

*Aerogrammus hefferni* Komiya, 2004 ([Holotype] Indonesia, Sumatra West: Harau Valley NMST)  
*Nepiodes hefferni* Komiya & Drumont, 2010 [comb. nov.]

84 **Nepiodes sulcipennis (White, 1853)**

*Aegosoma sulcipenne* White, 1853: 31 ([Syntypes] E. Indies (Tenasserim) BMNH) (White, 1853b: 28)  
*Aegosoma sulcipenne* ; Gahan, 1894: 7  
*Megopis (Megopis) sulcipennis* ; Lameere, 1909: 146 (Lameere, 1913: 41 [catalogue] ; Nakamura et al., 1992: 5)  
*Megopis sulcipenne* ; Kano, 1930: 41  
*Megopis sulcipennis* ; Thapa, 2000: 118 [Népal] (Feng, 2007: 100 [Chine])  
*Megopis procera* ; Ek-Amnuay, 2002 [misidentification]  
*Nepiodes sulcipennis* ; Drumont et al. in Löbl & Smetana, 2010: 38 [comb. nov.] (Komiya & Drumont, 2010: 176 [clef] ([Lectotype] E. Indies, Tenasserim, BMNH) ; Jingke et al., 2014: 79 [chorology Chine] ; Majumder et al., 2014: 853)  
*Nepiodessulcipennis* ; Mitra et al., 2014: 47 [Andaman] [misspelling]  
☒  
*Megopis (Nepiodes) lineata* Hüdepohl, 1994 : 186 ([Holotype] Thailand : Wang Nuea, Lampang ; Saraburi ZSMC) (Drumont et al. in Löbl & Smetana, 2010: 38 [Synonymie])

85 **Nepiodes terminalis (Gahan, 1906)**

*Aegosoma terminale* Gahan, 1906: 49 ([Holotype] Ceylon BMNH)  
*Megopis (Megopis) terminalis* ; Lameere, 1909: 146 (Lameere, 1913: 41 [catalogue] ; Makihara et al., 2008 : 96)  
*Megopis terminalis* ; Drumont, 2003: 5  
*Nepiodes terminalis* ; Drumont et al. in Löbl & Smetana, 2010: 39 [comb. nov.] (Komiya & Drumont, 2010: 181 [clef] ; Hiremath & Revannavar, 2016: 100 [India] ; Delahaye & Drumont, 2017: 105 [female])

### ***Oceanomegopis***

Komiya & Drumont, 2009

[Désignation orig.] *Megopis caledonica* Fauvel, 1906

86 ***Oceanomegopis caledonica* (Fauvel, 1906)**

*Megopis modesta* Montrouzier, 1861: 278 ([Holotype] Lifu MNHN) (non White, 1853)  
*Megopis caledonica* Fauvel, 1906: 43 [nomen nov.] (Drumont & Vives, 2007 [Neotype] Nouvelle Calédonie, Canala ISNB) (Sudre et al., 2010)  
*Megopis (Megopis) caledonica*; Lameere, 1909: 149 (Lameere, 1913: 41 [catalogue])  
*Oceanomegopis caledonica*; Komiya & Drumont, 2009: 338 [comb. nov.]

87 ***Oceanomegopis kudrnai* (Drumont & Vives, 2007)**

*Megopis kudrnai* Drumont & Vives, 2007: 7 ([Holotype] Nouvelle Calédonie, Province du Sud, 15 km. NE Noumea, Forest of Mts Koghis ISNB) (Sudre et al., 2010)  
*Oceanomegopis kudrnai*; Komiya & Drumont, 2009: 340 [comb. nov.]

### ***Palaeomegopis***

Boppe, 1911

[Monotypie] *Palaeomegopis lameerei* Boppe, 1911

*Steinkea* Hüdepohl, 1993 ([Monotypie] *Steinkea lehmanni* Hüdepohl, 1993)

88 ***Palaeomegopis komiyai* Drumont, 2006**

*Megopis Pici*; Lameere, 1926 (nec Lameere, 1915)  
*Palaeomegopis komiyai* Drumont, 2006: 282 ([Holotype] Yunnan MNHN) (Feng, 2007: 102 ; Löbl & Smetana, 2010: 87 [catalogue] ; Jingke et al., 2014: 80 [chorology Chine])





89 **Palaeomegopsis lameerei Boppe, 1911**

*Palaeomegopsis Lameerei* Boppe, 1911: 30 ([Syntypes] Tali, Haut Yunnan Coll. Boppe)  
*Megopsis (Palaeomegopsis) lameerei*; Lameere, 1912: 169 (Lameere, 1913: 42 [catalogue])  
*Palaeomegopsis lameerei*; Drumont et al., 2000: 489 [Lectotype] (Drumont, 2006: 281; Feng, 2007: 102; Löbl & Smetana, 2010: 87 [catalogue]; Jingke et al., 2014: 80 [chorology Chine])

*Steinkea lehmanni* Hüdepohl, 1993: 322 ([Holotype] Thailand, Chiang Mai ZSMA) (Drumont et al., 2000: 489 [synonymie])

**Paradandamis**

Aurivillius, 1922

[Monotypie] *Paradandamis fuscovittata* Aurivillius, 1922

90 **Paradandamis fuscovittata Aurivillius, 1922**

*Paradandamis fuscovittata* Aurivillius, 1922: 428 ([Holotype] Seychelles : Mahé BMNH) (Komiya & Drumont, 2013: 157; Madl & Matyot, 2014: 1592)  
*Paradandamis fuscovittatus*; Vives, 2009: 127

**Rhineimegopsis**

Komiya & Drumont, 2001

[Désignation orig.] *Eurypoda (Neoprion) cordieri* Lameere, 1916

91 **Rhineimegopsis cordieri (Lameere, 1916)**

*Eurypoda (Neoprion) Cordieri* Lameere, 1916: 234 ([Holotype] Cochinchine : Cap St-Jacques NMFS)  
*Rhineimegopsis cordieri*; Komiya & Drumont, 2001: 393 (Drumont et al., 2007: 266; Löbl & Smetana, 2010: 87 [catalogue]; Komiya & Drumont, 2013: 158; Jingke et al., 2014: 80 [chorology Chine])

92 **Rhineimegopsis rugicollis Komiya & Drumont, 2001**

*Rhineimegopsis rugicollis* Komiya & Drumont, 2001: 396 ([Holotype] Northern Thailand, Chiang Mai Province: Wingpapao NMST) (Komiya & Drumont, 2013: 158)

**Spinimegopsis**

Ohbayashi, 1963

[Désignation orig.] *Megopsis (Aegosoma) nipponica* Matsushita, 1934

93 **Spinimegopsis buckleyi (Gahan, 1894)**

*Aegosoma Buckleyi* Gahan, 1894: 227 ([Syntypes] North India BMNH)  
*Aegosoma buckleyi*; Gahan, 1906: 47  
*Megopsis (Aegosoma) buckleyi*; Lameere, 1909: 142 (Lameere, 1913: 40 [catalogue])  
*Megopsis buckleyi*; Beeson, 1941: 191  
*Spinimegopsis buckleyi*; Komiya & Drumont, 2007: 349 [comb. nov.] ([Lectotype] North India BMNH) (Drumont & Komiya in Löbl & Smetana, 2010: 88 [catalogue]; Majumder & al., 2014: 853)

94 **Spinimegopsis cingalensis (White, 1853)**

*Aegosoma Cingalense* White, 1853: 31 ([Type] "Ceylon" BMNH)  
*Aegosoma cingalense*; Gahan, 1906: 46  
*Megopsis (Baralipion) cingalensis*; Lameere, 1909: 159 (Lameere, 1913: 43 [catalogue])  
*Megopsis cingalensis*; Beeson, 1941: 191 (Drumont, 2003: 3)  
*Megopsis (Aegosoma) cingalensis*; Gressitt, 1950: 11  
*Spinimegopsis cingalensis*; Komiya & Drumont, 2007: 360 [comb. nov.] ([Lectotype] Ceylon BMNH) (Makihara et al., 2008: 96)  
*Megopsis cingalence*; Namboodiri & Thirumalai, 2009: 92 [Tamil Nadu] [misspelling]

*Aegosoma angustatum* Bates, 1875: 51 [female] ([Holotype] Ceylon MNHN)

95 **Spinimegopsis curticornis Komiya & Drumont, 2007**

*Spinimegopsis curticornis* Komiya & Drumont, 2007 ([Holotype] Mt. Luodingshan, 1,700 m, near Luoding City, Guangdong, China ISNB) (Löbl & Smetana, 2010 [catalogue]; Jingke et al., 2014: 80 [chorology Chine])

96 **Spinimegopsis delahayei Komiya & Drumont, 2007**

*Spinimegopsis delahayei* Komiya & Drumont, 2007 ([Holotype] Chudu Raji, 2,800 m, Kachin, Myanmar NMST) (Löbl & Smetana, 2010 [catalogue]; Weigel, 2012: 407 [India]; Jingke et al., 2014: 80 [chorology Chine])

97 **Spinimegopsis formosana (Matsushita, 1933)**

*Megopsis (Aegosoma) buckleyi* subsp. *formosana* Matsushita, 1933: 163 ([Holotype] Formosa Shichôkei EMHU)  
*Megopsis (Spinimegopsis) formosana*; Fujita, 1980: 3 [stat. nov.] (Nakamura et al., 1992: 6; Nara, 2002: 22)  
*Megopsis formosana formosana*; Hua, 2002: 214  
*Spinimegopsis formosana*; Komiya & Drumont, 2007: 363 [comb. nov.] (Feng, 2007: 104; Löbl & Smetana, 2010: 88 [catalogue]; Wu & Chen, 2012: 45)  
*Spinimegopsis formosana* subsp. *formosana*; Jingke et al., 2014: 80 [chorology Chine]



- 98 **Spinimegopsis formosana lanhsuensis (Hayashi, 1974)**  
*Megopsis (Spinimegopsis) lanhsuensis* Hayashi, 1974: 2 ([Holotype] Lan Hsu or Lanyu Island, off South East Coast of Taiwan OMNH)  
*Megopsis (Spinimegopsis) formosana* subsp. *lanhsuensis*; Fujita, 1980: 10 [stat. nov.] (Nakamura et al., 1992: 6)  
*Megopsis lanhsuensis*; Hua, 1982: 3  
*Megopsis formosana lanhsuensis*; Hua, 2002: 214 [misspelling]  
*Spinimegopsis formosana lanhsuensis*; Feng, 2007: 104 [misspelling]  
*Spinimegopsis formosana* subsp. *lanhsuensis*; Komiya & Drumont, 2007: 366 [comb. nov.] (Löbl & Smetana, 2010: 88 [catalogue]; Jingke et al., 2014: 81 [chorology Chine])
- 99 **Spinimegopsis formosana tamdaoana Komiya & Drumont, 2007**  
*Spinimegopsis formosana* subsp. *tamdaoana* Komiya & Drumont, 2007 ([Holotype] Mt. Tamdao, Vinh Phu Prov., Vietnam NMST)
- 100 **Spinimegopsis fujitai Komiya & Drumont, 2007**  
*Spinimegopsis fujitai* Komiya & Drumont, 2007: 357 ([Holotype] Sapa, Hoan Lien Son, Lao Cai Prov., Vietnam NMST) (Löbl & Smetana, 2010 [catalogue]; Jingke et al., 2014: 81 [chorology Chine])
- 101 **Spinimegopsis guangxiensis (Feng & Chen, 2009)**  
*Megopsis (Spinimegopsis) guangxiensis* Feng & Chen, 2009: 38 ([Holotype] Jinxiu County, Guangxi SACA) (Jingke et al., 2014: 81 [chorology Chine])
- 102 **Spinimegopsis huai Komiya & Drumont, 2007**  
*Spinimegopsis huai* Komiya & Drumont, 2007 ([Holotype] Mt. Huaeshan, 25 km east of Wanyuan City, Sichuan, China NMST) (Löbl & Smetana, 2010 [catalogue]; Jingke et al., 2014: 81 [chorology Chine])
- 103 **Spinimegopsis ishigakiana (Yoshinaga & Nakayama, 1972)**  
*Megopsis (Spinimegopsis) ishigakiana* Yoshinaga & Nakayama, 1972: 19 ([Holotype] Mt. Bannadake, Ishigaki Is. Coll. Nakayama)  
*Megopsis (Spinimegopsis) buckleyi ishigakiana*; Kusama, 1973  
*Megopsis (Spinimegopsis) formosana* subsp. *ishigakiana*; Fujita, 1980: 10 [stat. nov.] (Ohbayashi & Niisato, 2007: 341)  
*Spinimegopsis ishigakiana*; Komiya & Drumont, 2007: 369 (Löbl & Smetana, 2010: 88 [catalogue])
- 104 **Spinimegopsis kachina Komiya & Drumont, 2007**  
*Spinimegopsis kachina* Komiya & Drumont, 2007 ([Holotype] Chudu Razi mountain range, East Kachin, Myanmar NMST)
- 105 **Spinimegopsis kawazoei (Hayashi, 1961)**  
*Megopsis (Aegosoma) kawazoei* Hayashi, 1961 ([Holotype] Is. Amami Ōshima Japan OMNH)  
*Megopsis (Spinimegopsis) kawazoei*; Ohbayashi, 1963  
*Megopsis (Spinimegopsis) formosana* subsp. *kawazoei*; Fujita, 1980: 5 [stat. nov.] (Ohbayashi & Niisato, 2007: 340)  
*Spinimegopsis kawazoei*; Komiya & Drumont, 2007: 371 (Löbl & Smetana, 2010: 88 [catalogue])
- 106 **Spinimegopsis kawazoei hachijoana (Fujita, 1980)**  
*Megopsis (Spinimegopsis) formosana* subsp. *hachijoana* Fujita, 1980: 11 ([Holotype] Sueyoshi NMST) (Ohbayashi & Niisato, 2007)  
*Spinimegopsis kawazoei* subsp. *hachijoana* Komiya & Drumont, 2007 (Löbl & Smetana, 2010 [catalogue])
- 107 **Spinimegopsis kawazoei okinawana (Fujita, 1980)**  
*Megopsis (Spinimegopsis) formosana* subsp. *okinawana* Fujita, 1980: 5 ([Holotype] Mt. Yanahadake, Is. Okinawa Coll. Kobayashi) (Ohbayashi & Niisato, 2007: 341)  
*Spinimegopsis kawazoei* subsp. *okinawana*; Komiya & Drumont, 2007: 371 (Löbl & Smetana, 2010: 88 [catalogue])
- 108 **Spinimegopsis lividipennis (Lameere, 1920)**  
*Megopsis (Aegosoma) lividipennis* Lameere, 1920: 142 ([Syntypes] Yunnan IRSNB)  
*Megopsis lividipennis*; Hua, 2002: 214  
*Spinimegopsis lividipennis*; Komiya & Drumont, 2007: 356 [comb. nov.] (Feng, 2007: 106; Löbl & Smetana, 2010: 88 [catalogue]; Jingke et al., 2014: 81 [chorology Chine])
- 109 **Spinimegopsis malasiaca (Hayashi, 1976)**  
*Megopsis (Spinimegopsis) malasiaca* Hayashi, 1976  
*Megopsis (Aegosoma) flavipennis* Demelt, 1989 ([Holotype] Malaysia, Cameron Highland, Pahang, 1000-6000 ft Coll. Demelt)  
*Spinimegopsis malasiaca* Komiya & Drumont, 2007
- 110 **Spinimegopsis mediocostata (Gressitt, 1950)**  
*Megopsis (Aegosoma) mediocostata* Gressitt, 1950: 134 ([Holotype] Anaimalai Hills, S. India CAS)  
*Megopsis mediocostata*; Drumont, 2003: 11  
*Spinimegopsis mediocostata*; Komiya & Drumont, 2007: 361 [comb. nov.] (Majumder & al., 2014: 853; Hiremath & Revannavar, 2016: 102 [Karnataka])
- 111 **Spinimegopsis morettoii (Drumont, 2003)**  
*Megopsis morettoii* Drumont, 2003 ([Holotype] Horton Plains, Ceylan MNHN)  
*Spinimegopsis morettoii* Komiya & Drumont, 2007
- 112 **Spinimegopsis nepalensis (Hayashi, 1979)**  
*Megopsis (Spinimegopsis) nepalensis* Hayashi, 1979: 83 ([Holotype] Nepal, Unnamed place (E) (alt. 2450 m.) to Chowki (alt. 1620 m.) NMST)  
*Megopsis nepalensis*; Hua, 2002: 214  
*Spinimegopsis nepalensis*; Komiya & Drumont, 2007: 350 [comb. nov.] (Feng, 2007: 106; Drumont & Komiya in Löbl & Smetana, 2010: 88 [catalogue]; Drumont & Lin, 2013: 7 [Chine]; Jingke et al., 2014: 81 [chorology Chine]; Majumder & al., 2014: 853)



113 **Spinimegopsis nipponica (Matsushita, 1934)**

*Megopsis (Aegosoma) nipponica* Matsushita, 1934: 538 ([Holotype] Shikoku (Osugi in der Prov. Kochi) EMHU)  
*Megopsis (Spinimegopsis) nipponica*; Ohbayashi, 1963  
*Megopsis nipponica*; Kojima & Hayashi, 1969: 5  
*Megopsis (Spinimegopsis) formosana subsp. nipponica*; Fujita, 1980: 4 [stat. nov.] (Ohbayashi & Niisato, 2007: 340)  
*Megopsis formosana nipponica*; Hua, 2002: 214  
*Spinimegopsis nipponica*; Komiya & Drumont, 2007: 369 [comb. nov.] (Löbl & Smetana, 2010: 88 [catalogue]; Jingke et al., 2014: 96 [doubtful in China])  
*Spinimegopsis formosana nipponica*; Feng, 2007: 105

114 **Spinimegopsis nipponica yakushimana (Fujita, 1980)**

*Megopsis (Spinimegopsis) formosana subsp. yakushimana* Fujita, 1980: 4 ([Holotype] Nagata, Is. Yakushima, Japan NMST) (Ohbayashi & Niisato, 2007: 340)  
*Spinimegopsis nipponica subsp. yakushimana*; Komiya & Drumont, 2007: 370 (Löbl & Smetana, 2010: 88 [catalogue])

115 **Spinimegopsis perroti (Fuchs, 1966)**

*Megopsis (Aegosoma) perroti* Fuchs, 1966 (Tam Dao Tonkin MNHN)  
*Spinimegopsis perroti* Komiya & Drumont, 2007 (Löbl & Smetana, 2010 [catalogue]; Jingke et al., 2014: 81 [chorology Chine])

116 **Spinimegopsis piliventris (Gressitt, 1950)**

*Megopsis (Aegolipton) piliventris* Gressitt, 1950 (Feng & Chen, 2009: 40 [Chine: Yunnan])  
*Spinimegopsis piliventris* Komiya & Drumont, 2007

117 **Spinimegopsis piliventris antennalis (Fuchs, 1966)**

*Megopsis (Baralipion) antennalis* Fuchs, 1966 (Tam Dao Tonkin Vietnam MNHN)  
*Spinimegopsis piliventris subsp. antennalis* Komiya & Drumont, 2007 (Löbl & Smetana, 2010 [catalogue]; Jingke et al., 2014: 81 [chorology Chine])

118 **Spinimegopsis tibialis (White, 1853)**

*Aegosoma tibiale* White, 1853: 32 ([Holotype] N. India BMNH) (Gahan, 1906: 47)  
*Megopsis (Aegosoma) tibialis*; Lameere, 1909: 141 (Lameere, 1913: 40 [catalogue])  
*Megopsis tibialis*; Beeson, 1941: 191 (Heyrovský, 1976: 175; Thapa, 2000: 118 [Népal])  
*Megopsis (Spinimegopsis) tibialis*; Hayashi, 1979: 84  
*Spinimegopsis tibialis*; Komiya & Drumont, 2007: 348 [comb. nov.] (Feng, 2007: 106; Drumont & Komiya in Löbl & Smetana, 2010: 88 [catalogue]; Weigel, 2012: 407 [Arunachal Pradesh]; Jingke et al., 2014: 81 [chorology Chine]; Majumder & al., 2014: 853; Mitra et al., 2015: 4 [West Bengal])  
*Spinimegopsis tibiale*; Wu & Chen, 2012: 45

**Toxeutes**

Newman, 1840

[Monotypie] *Prionus arcuatus* Fabricius, 1787

*Oncinotus* Erichson, 1842 ([Désignation org.] *Prionus arcuatus* Fabricius, 1787)

119 **Toxeutes arcuatus (Fabricius, 1787)**

*Prionus arcuatus* Fabricius, 1787: 129 ([Holotype] Terra Diemenii BMNH) (Fabricius, 1793: 245; Fabricius, 1801: 259; Illiger, 1805: 106)  
*Toxeutes arcuatus*; Newman, 1840: 15 (Thomson, 1864: 289)  
*Oncinotus arcuatus*; Erichson, 1842: 220  
*Toxeutes (Toxeutes) arcuatus*; Lameere, 1904: 24 (Lameere, 1913: 38 [catalogue])

*Cerambyx (Prionus) curvus* Gmelin, 1789: 1817 (terra van Diemen)

**Toxeutes (Catypnes)**

Pascoe, 1864

[Monotypie] *Catypnes Mac Leayi* Pascoe, 1864

120 **Toxeutes (Catypnes) dentifrons Aurivillius, 1925**

*Toxeutes (Catypnes) dentifrons* Aurivillius, 1925: 504 ([Holotype] Neu Guinea: Bolan Gebrige NHRS)  
*Toxeutes dentifrons*; Gressitt, 1959: 73

121 **Toxeutes (Catypnes) macleayi (Pascoe, 1864)**

*Catypnes Macleayi* Pascoe, 1864: 244 ([Holotype] Richmond River BMNH)  
*Toxeutes (Catypnes) Mac Leayi*; Lameere, 1904: 23 (Lameere, 1913: 38 [catalogue])  
*Toxeutes macleayi*; Lameere, 1919 (Smithers, 1998: 19)  
*Toxeutes (Catypnes) macleayi*; McKeown, 1947: 13

*Toxeutes punctatissimus* Thomson, 1877: clv [femelle] ([Holotype] Australia MNHN)

122 **Toxeutes (Catypnes) negrosianus Hüdepohl, 1987**

*Toxeutes (Catypnes) negrosianus* Hüdepohl, 1987: 127 ([Holotype] Philippines, Negros oriental ZSMC)

123 **Toxeutes (Catypnes) pascoei Lameere, 1904**

*Toxeutes (Catypnes) Pascoei* Lameere, 1904: 21 (Australie, Queensland ? ISBN) (Lameere, 1913: 37 [catalogue])

124 **Toxeutes (Catypnes) salesnei Delahaye, Drumont & Komiya, 2016**

*Toxeutes (Catypnes) salesnei* Delahaye, Drumont & Komiya, 2016: 130 ([Holotype] Nouvelle-Calédonie, Province du Sud, Réserve naturelle du Mont Do Coll. Delahaye)



**Ziglipton**  
Komiya, 2003

[Désignation orig.] *Megopis* (*Baralipton*) *sanchezi* Schultze, 1920

125 **Ziglipton drumonti Komiya, 2003**

*Ziglipton drumonti* Komiya, 2003 (*Drumont & Lourens, 2007*)

126 **Ziglipton huedepohli Komiya & Drumont, 2004**

*Ziglipton huedepohli* Komiya & Drumont, 2004 (*Drumont & Lourens, 2007*)

127 **Ziglipton jirouxi Komiya, 2003**

*Ziglipton jirouxi* Komiya, 2003 (*Drumont & Lourens, 2007*)

128 **Ziglipton lumawigi (Hüdepohl, 1987)**

*Megopis* (*Baralipton*) *lumawigi* Hüdepohl, 1987

*Ziglipton lumawigi* Komiya, 2003 (*Drumont & Lourens, 2007*)

129 **Ziglipton marieae Komiya, 2003**

*Ziglipton marieae* Komiya, 2003: 315 ([Holotype] *Noeva Viscaya*, northern Luzon NMST) (*Drumont & Lourens, 2007*: 369)

*Ziglipton mariae* Komiya & Drumont, 2004: 198 [misspelling]

130 **Ziglipton sanchezi (Schultze, 1920)**

*Megopis* (*Baralipton*) *sanchezi* Schultze, 1920: 192 ([Holotype] Luzon, Benguet, Baguio SNSD)

*Ziglipton sanchezi*; Komiya, 2003: 310 (*Drumont & Lourens, 2007*: 369)