



Prioninae

Latreille, 1802

Callipogonini

Thomson, 1861

Callipogonitæ Thomson, 1861: 323

Anacanthitæ Thomson, 1864: 285

Ctenoscelitæ Thomson, 1864: 295

Enoploceritæ Thomson, 1864: 290

Orthomegitæ Thomson, 1864: 294

Callipogonides Lacordaire, 1869: 91

Ctenoscelinæ Pascoe, 1869: 661

Janwoninae Kolbe, 1898: 294

Callipogonines Lameere, 1904: 7

Callipogonini Lameere, 1912: 181

Jamwoni Lameere, 1912: 181

Apotrophus

Bates, 1875

[Monotypie] *Apotrophus simplicicollis* Bates, 1875

Paranæcus Thomson, 1877 ([Monotypie] *Paranæcus* Olivier Thomson, 1877)

1 Apotrophus simplicicollis Bates, 1875

Apotrophus simplicicollis Bates, 1875: 49 ([Holotype] Brazil (Paraná) MNHN) (Monné & Giesbert, 1994: 7)

Ctenoscelis (*Apotrophus*) *simplicicollis*; Lameere, 1904: 311 (Lameere, 1913: 18 [catalogue]; Melzer, 1919: 68)

Ctenoscelis simplicicollis; Blackwelder, 1946: 553

Paranæcus olivieri Thomson, 1877: 270 ([Holotype] Parana MNHN)

Cacodacnus

Thomson, 1860

[Monotypie] *Cacodacnus hebridanus* Thomson, 1860

Cronodagus Thomson, 1867 ([Monotypie] Archetypus ? Deplanchei Thomson, 1867)

2 Cacodacnus hebridanus Thomson, 1861

Cacodacnus hebridanus Thomson, 1861: 326 ([Syntypes] Nouv.-Hébrides MNHN) (Thomson, 1864: 290; Lameere, 1904: 19; Lameere, 1913: 37 [catalogue]; Smithers, 1998: 19; Sirop, 2010: 61; Sudre et al., 2010: 71; Sirop, 2015: 48)

Archetypus ? Deplanchei Thomson in Fauvel, 1867: 205 ([Holotype] Lifu UNKNOWN)

Cronodagus deplanchei; Thomson, 1867: 89

Toxeutes rasilis Olliff, 1888: 1010 ([Syntypes] Norfolk Island AMSA)

3 Cacodacnus lameeri Aurivillius, 1925

Cacodacnus lameeri Aurivillius, 1925 ([Holotype] Neu Guinea: Bolan Gebirge NHRS)

Cacodacnus lameerei; Gressitt, 1959 [misspelling]

4 Cacodacnus planicollis (Blackburn, 1895)

Catynnes planicollis Blackburn, 1895

Cacodacnus planicollis Lameere, 1904 (Lameere, 1913 [catalogue]; Aurivillius, 1917)

Callipogon

Audinet-Serville, 1832

[Monotypie] *Callipogon barbatum* Audinet-Serville, 1832

5 Callipogon barbatum (Fabricius, 1781)

Prionus barbatus Fabricius, 1781: 208 ([Holotype] America meridionali BMNH) (Fabricius, 1793: 250; Fabricius, 1801: 265)

Cerambyx (Prionus) barbatus; Gmelin, 1789: 1816

Prionus Barbatus; Schönherr, 1817: 345

Callipogon barbatum; Dupont, 1832: pl. 33 (Laporte de Castelnau, 1840: 406; Blanchard, 1845: 166; Houlbert, 1913: 6)

Callipogon Barbatum; Thomson, 1864: 294

Callipogon barbatus; Lacordaire, 1869: 93

Callipogon (Callipogon) barbatus Lameere, 1904: 55 (Lameere, 1913: 44 [catalogue]; Gilmour, 1954: 34)

Callipogon barbatum Var. *ornatum* Bates, 1879: 5 ([Type] Nicaragua BMNH)

Callipogon barbatus var. *ornatus*; Lameere, 1882: 4

Callipogon (Callipogon) barbatus var. *ornatus*; Lameere, 1904: 56 (Lameere, 1913: 44 [catalogue])

Callipogon Hauseri Nonfried, 1892: 20 [femelle] ([Holotype] Nord-Honduras ZMHB)

Callipogon Friedlanderi Nonfried, 1892: 22 [mâle] ([Holotype] Central-Honduras ZMHB)

Callipogon Friedländeri; Aurivillius, 1893: 326



6 **Callipogon beckeri Lameere, 1904**

Callipogon (Callipogon) beckeri Lameere, 1904: 56 ([Syntypes] Nord-Ouest du Mexique : Cerro San-Juan sur territoire de Tepic MNHN & Sierra de Durango ZMHB) (Lameere, 1913: 44 [catalogue])

7 **Callipogon lemoinei Reiche, 1840**

Callipogon Lemoinei Reiche, 1840: 275 ([Syntypes] Santa-Fé de Bogota MNHN) (Blanchard, 1845: 166)
Callipogon lemoinei; Bates, 1879: 6
Callipogon Limoinei var. Kraatz Nonfried, 1890: 19 [femelle][misspelling] ([Holotype] nördl. Ecuador UNKNOWN)
Callipogon Limoinei; Nonfried, 1892: 18 [misspelling]
Callipogon Lemoinei var. Kraatz; Nonfried, 1892: 19
Callipogon (Callipogon) Lemoinei; Lameere, 1904: 54 (Lameere, 1913: 44 [catalogue])
Callipogon (Callipogon) lemoinei; Rosales, 1966: 137

8 **Callipogon senex Dupont, 1832**

Callipogon senex Dupont, 1832: pl. 33 ([Syntypes] inconnue MNHN)
Callipogon firmus Dejean, 1837 [nomen nudum]
Prionus obscurus Chenu, 1851: 3 [nomen nudum]
Callipogon barbatus var. senex; Nonfried, 1892: 21
Callipogon (Callipogon) senex; Lameere, 1904: 56 (Lameere, 1913: 44 [catalogue]; Toledo, 2005: 415)

Prionus lucanicerus Chevrolat in litteris
Callipogon barbatum; Audinet-Serville, 1832: 142 ([Holotype] Mexique, Veracruz Orizaba BMNH) (non Fabricius, 1781)

Callipogon (Callomegas)

Lameere, 1904

[Désignation subséquente de Monné, 1995: 18] Prionus sericeus Olivier, 1795

9 **Callipogon (Callomegas) proletarium Lameere, 1904**

Callipogon (Callomegas) proletarium Lameere, 1904 ([Syntypes] sans localité BMNH & Porto-Rico ZMHB)
Callipogon (Callomegas) proletarius Lameere, 1913 [catalogue]
Callomegas proletarius Wolcott, 1924
Callipogon proletarium Wolcott, 1924
Callipogon (Callomegas) sericeum; Lingafelter, 2015: 355 [synonymie ?]

10 **Callipogon (Callomegas) sericeum (Olivier, 1795)**

Prionus sericeus Olivier, 1795: 16 ([Holotype] Cayenne LOST)
Prionus Sericeus; Schönherr, 1817: 346
Orthomegas sericeus; Audinet-Serville, 1832: 150
Callipogon (Callomegas) sericeus; Lameere, 1904: 66 (Lameere, 1913: 44 [catalogue])
Callomegas sericeus; Leng & Mutchler, 1914: 443
Callipogon sericeum; Blackwelder, 1946: 553
Callipogon (Callipogon) sericeus; Zayas, 1975: 24
Callipogon (Callomegas) sericeum; Monné & Giesbert, 1994: 8 (Monné, 1995: 18 [catalogue]; Nearns, 2006: 53; Lingafelter, 2015: 355 [Hispaniola]; Devesa et al., 2015: 52 [Cuba])
Callipogon (Callomegas) sericeus; Jeniš, 2009: 11

Callipogon (Dendroblaptus)

Chevrolat, 1864

[Monotypie] Dendroblaptus barbiflavus Chevrolat, 1864

11 **Callipogon (Dendroblaptus) barbiflavum (Chevrolat, 1864)**

Dendroblaptus barbiflavus Chevrolat, 1864: 180 ([Holotype] Cuba. Pinar del Rio MNHN)
Dendroblaptus Barbiflavus; Thomson, 1864: 496
Stenodontes (Dendroblaptus) barbiflavus; Lameere, 1902: 103
Callipogon (Dendroblaptus) barbiflavus; Lameere, 1912: 165
Callipogon (Dendroblaptus) barbiflavus; Lameere, 1913: 43 [catalogue]
Callipogon barbiflavum Blackwelder, 1946: 553 (Thomas & Turnbow, 2007: 582)
Callipogon (Dendroblaptus) barbiflavum; Zayas, 1957: 164 (Monné, 1995: 18; Nearns, 2006: 53; Devesa et al., 2015: 54 [Cuba])

Callipogon (Enoplocerus)

Audinet-Serville, 1832

[Monotypie] Cerambyx armillatus Linné, 1767

Enoplocere Blanchard, 1845: 139



12 **Callipogon (Enoplocerus) armillatum (Linné, 1767)**

Cerambyx armillatus Linné, 1767: 622 ([Type] India LOST)
Prionus armillatus; *Fabricius*, 1775 (Olivier, 1795; *Fabricius*, 1801; Illiger, 1805)
Cerambyx (Prionus) armillatus; *Gmelin*, 1789: 1815
Enoplocerus armillatus; *Audinet-Serville*, 1832 (*Laporte de Castelnau*, 1840; *Thomson*, 1864; *Hequet*, 1996; *Martins et al.*, 2006; *Thouvenot*, 2006; *Santos-Silva & Galileo*, 2011)
Enoplocerus Armillatus; *Dejean*, 1837: 341 (Cayennæ)
Enoplocere armillatus; *Blanchard*, 1845: 165
Callipogon (Enoplocerus) armillatus; *Lameere*, 1904 (*Lameere*, 1913 [catalogue]; *Melzer*, 1919)
Callipogon armillatus; *Lameere*, 1912
Callipogon (Enoplocerus) armillatum; *Morvan & Morati*, 2006 (*Menezes et al.*, 2012: 56)

Prionus octo-dentatus *Schönherr*, 1817: 342 ([Holotype] India NHRS) [femelle]

Enoplocerus gigas *Csiki*, 1909: 343 ([Holotype] Paraguay: Puerto Max MTMB)

Callipogon (Eoxenus)
Semenov, 1899

13 **Callipogon (Eoxenus) relictus Semenov, 1899**

Callipogon (Eoxenus) relictus Semenov, 1899: 563 ([Holotype] parte australi provinciae nostrae Litoralis (Sibiria orientalis): verisimiliter haud procul a Vladivostok ZIN) (*Lameere*, 1904: 58; *Löbl & Smetana*, 2010: 89 [catalogue]; *Li et al.*, 2012: 51 [chorologie biology]; *Jingke & Drumont*, 2013: 52 [biology][Inner Mongolia])
Callipogon (Callipogon) relictus; *Lameere*, 1913: 44 [catalogue]
Macrotoma (Bandar) fisheri?; *Saito*, 1932
Callipogon relictus; *Cho*, 1934 (*Cherepanov*, 1988: 49; *Wang*, 2003: 34; *Byun et al.*, 2007: 19 [Korea]; *Feng*, 2007: 64; *Ohbayashi & Niisato*, 2007: 339; *Kuprin & Ltvinnov*, 2009: 28; *Kuprin & Bezborodov*, 2012: 387; *Jingke et al.*, 2014: 85 [chorologie Chine]; *Kuprin et al.*, 2014: 1080 [biology]; *Yi & Kuprin*, 2016: 85 [biology])

Chorenta
Gistel, 1848

[nomen nov. pro] *Anacanthus* *Audinet-Serville*, 1832 ([Monotypie] *Anacanthus costatus* *Audinet-Serville*, 1832)
Anacanthus *Audinet-Serville*, 1832 ([Monotypie] *Anacanthus costatus* *Audinet-Serville*, 1832) (nec *Gray*, 1830 [Pisces])
Anacanthe *Blanchard*, 1845: 142
Chorenta *Gistel*, 1848: viii
Stictosomus (*Anacanthus*) *Lameere*, 1904: 28

14 **Chorenta biramiguelus (Santos-Silva, 2004)**

Anacanthus biramiguelus Santos-Silva, 2004: 281 ([Holotype] Brasil, Mato Grosso: Sinop (12°31'S, 55°37'W; BR 163, km 500 à 600) MNRJ)
Chorenta biramiguelus; Monné, 2006: 34 (*Casari & Santos-Silva*, 2010: 746; *Dalens et al.*, 2010: 218)

15 **Chorenta espiritosantensis (Campos Seabra, 1941)**

Stictosomus (*Anacanthus*) *espiritosantensis* Campos Seabra, 1941: 369 ([Holotype] Brasil (Espírito Santo): Município Alfredo Chaves, Matilde MNRJ)
Anacanthus espiritosantensis; Santos-Silva, 2004: 283
Chorenta espiritosantensis; Monné, 2006: 34 (*Casari & Santos-Silva*, 2010: 746; *Dalens et al.*, 2010: 218)

16 **Chorenta leonardi Audureau & Demez, 2013**

Chorenta leonardi Audureau & Demez, 2013: 46 ([Holotype] Pérou, Huanuco, Tingo Maria Coll. Audureau)

17 **Chorenta reticulata (Dalman, 1817)**

Prionus reticulatus Dalman, 1817: 147 [femelle] ([Holotype] ?? NHRS)
Anacanthus reticulatus *Lameere*, 1912: 179
Stictosomus (*Anacanthus*) *reticulatus*; *Lameere*, 1913: 39 [catalogue] (*Melzer*, 1919: 85)
Stictosomus reticulatus; *Costa Lima*, 1936: 312 (*Gilmour*, 1954: 34)
Chorenta reticulata; Monné, 2006: 34 (*Casari & Santos-Silva*, 2010: 746; *Martins & Galileo*, 2010: 436; *Monné et al.*, 2010: 334; *Perger & Santos-Silva*, 2010: 34)
Chorenta reticulata; Monné & Hovore, 2009 (*Dalens et al.*, 2010: 218)

Anacanthus costatus *Audinet-Serville*, 1832: 166 [mâle] ([Syntypes] Brésil BMNH) (*Laporte de Castelnau*, 1840: 403; *White*, 1853: 42; *Santos-Silva*, 2004: 283)
Anacanthus Costatus; *Thomson*, 1864: 286
Stictosomus (*Anacanthus*) *costatus*; *Lameere*, 1904: 30
Stictosomus costatus; *Penteado-Dias*, 1984: 226
Chorenta costata; *Jeniš*, 2009: 15

18 **Chorenta toulgoeti Dalens, Touroult & Tavakilian, 2010**

Anacanthus costatus; *Heyne & Taschenberg*, 1908: 238 (nec *Audinet-Serville*, 1832)
Chorenta toulgoeti *Dalens et al.*, 2010 ([Holotype] Guyane, commune de Régina, piste de Bélonz pk 15 + 17 Coll. Giuglaris)

Ctenoscelis
Audinet-Serville, 1832
[Désignation subséquente de Thomson, 1864: 297] *Prionus ater* Olivier, 1795
Ctenoscelis *Castelnau*, 1840 [misspelling]



19 **Ctenoscelis acanthopus (Germar, 1824)**

Prionus acanthopus Germar, 1824: 467 ([Syntypes] Brasilia ZHMB)
Ctenoscelis acanthopus; Audinet-Serville, 1832 (Lameere, 1912)
Ctenoscelis Acanthopus; Dejean, 1837: 341 [synonyme de *C. Dentipes*]
Titanus (*Ctenoscelis*) *acanthopus*; Laporte de Castelnau, 1840
Ctenoscelis (*Ctenoscelis*) *acanthopus*; Lameere, 1904 (Lameere, 1913 [catalogue]; Melzer, 1919; Gilmour, 1954; Monné et al., 2010)

Ctenoscelis Dentipes Dejean, 1837: 341 (Brasilia) [nomen nudum]

Ctenoscelis Scabricollis Dejean, 1837: 341 (Brasilia) [nomen nudum]

20 **Ctenoscelis ater (Olivier, 1795)**

Armiger forceps Voet, 1778: 2 (India Orientalis) [nomen nudum]
Prionus ater Olivier, 1795: 11 ([Holotype] Cayenne MNHN)
Prionus Ater; Schönherr, 1817: 342
Ctenoscelis ater; Audinet-Serville, 1832: 135 (Hequet, 1996: 40; Martins et al., 2006: 266; Thouvenot, 2006: 46; Demez & Touroult, 2011: 98 [Pérou])
Ctenoscelis Ater?; Dejean, 1837: 341 [♀] (Cayennæ)
Ctenoscelis Ater; Thomson, 1864: 297
Ctenoscelis atra; Gemminger & Harold, 1872: 2762 (Lameere, 1912: 166)
Ctenoscelis (*Ctenoscelis*) *atra*; Lameere, 1904: 314 (Lameere, 1913: 19 [catalogue]; Melzer, 1919: 73)
Ctenoscelis (*Ctenoscelis*) *ater*; Monné, 1995: 22 (Morvan & Morati, 2006: 5)

Ctenoscelis Major Dupont in Dejean, 1837: 341 (Cayennæ) [nomen nudum]

Ctenoscelis major; Planet, 1894: 119

21 **Ctenoscelis coeus (Perty, 1832)**

Prionus coeus Perty, 1832: 86 ([Holotype] In montibus Prov. Minarum ZSMC)
Ctenoscelis (*Ctenoscelis*) *acanthopus*; Lameere, 1904 (nec Germar, 1824)
Ctenoscelis coeus; Lameere, 1912 (Hequet, 1996; Martins et al., 2006; Santos-Silva & Galileo, 2011)
Ctenoscelis (*Ctenoscelis*) *coeus*; Lameere, 1913 [catalogue] (Melzer, 1919)
Ctenoscelis (*Ctenoscelis*) *coecus*; Gilmour, 1954 [misspelling]

Ctenoscelis Scabricollis Lacordaire, 1832: 363 (Guyane) (Dejean, 1837: 341 (Brasilia) [synonyme de *C. Dentipes*])

Ctenoscelis Dyrrachus Buquet, 1843: 235 ([Holotype] Cayenne MNHN)

Ctenoscelis Dyrrhacus; Bates, 1869: 43 [misspelling]

Ctenoscelis (*Ctenoscelis*) *dyrrachus*; Lameere, 1904

Ctenoscelis Nausithous Buquet, 1843: 236 ([Holotype] Bolivie LOST)

Cubaecola

Lameere, 1912

[Monotypie] *Cubaecola hoploderooides* Lameere, 1912

22 ***Cubaecola hoploderooides* Lameere, 1912**

Cubaecola hoploderooides Lameere, 1912: 164 ([Holotype] Cuba OUMNH) (Lameere, 1913: 47 [catalogue]; Nearns, 2006: 53; Devesa et al., 2015: 56 [Cuba])

Hephialtes

Thomson, 1864

[Désignation orig.] *Hephialtes tricostatus* Thomson, 1864

Ephialtes Pascoe, 1867 ([Homonymie] Schrank, 1802 [Hymenoptera], non Keyserling & Blasius, 1840 [Aves])

23 ***Hephialtes mourei* Santos-Silva, 2004**

Hephialtes mourei Santos-Silva, 2004 (Monné et al., 2010)

24 ***Hephialtes ruber* (Thunberg, 1822)**

Trachyderes ruber Thunberg, 1822
Orthosoma badium Dejean, 1837
Hephialtes tricostatus Thomson, 1864
Hephialtes badium Thomson, 1865
Hephialtes sulcatus Lacordaire, 1869
Stictosomus (*Anacanthus*) *tricostatus* Lameere, 1904
Stictosomus (*Anacanthus*) *ruber* Lameere, 1912
Stictosomus (*Anacanthus*) *ruber* Lameere, 1913 (Lameere, 1913 [catalogue]; Melzer, 1919)
Anacanthus *ruber* Villiers, 1980
Hephialtes ruber Hequet, 1996 (Chalumeau & Touroult, 2005; Vitali & Touroult, 2005; Morvan & Morati, 2006; Monné et al., 2010)

Jamwonus

Harold, 1879

[Monotypie] *Jamwonus subcostatus* Harold, 1879



25 **Jamwonus subcostatus Harold, 1879**

Jamwonus subcostatus Harold, 1879: 159 ([Syntypes] "Aus dem Inneren (Pogge!)" ZMHB) (Kolbe, 1898: 11; Lameere, 1903: 97; Lameere, 1904: 42; Lameere, 1913: 43 [catalogue]; Schouteden, 1920: 124; Burgeon, 1928: 6; Burgeon, 1930: 74; Gilmour, 1954: 34; Gilmour, 1956a: 112; Gilmour, 1956b: 266; Delahaye et al., 2006: 12; Delahaye, 2009: 23 [Zambie]; Meunier & Drumont, 2014: 38 [phorésie])

Jamwonus sticheli Kolbe, 1900: 297 ([Syntypes] Mhonda; Innern Deutsch-Ost-Afrikas (Kilossa) ZMHB)

Jamwonus Sticheli; Houlbert, 1913b: 10

Jamwonus subcostatus v. Sticheli; Gilmour, 1956a: 116

Jamwonus tuberculatus Houlbert, 1913a: 47 ([Syntypes] Région de M'Pala, Tanganika Coll. Oberthür MNHN)

Jamwonus subcostatus v. tuberculatus; Gilmour, 1956: 117

Jamwonus Oberthüri Houlbert, 1913a: 53 ([Holotype] Région de M'Pala, Tanganika Coll. Oberthür MNHN)

Jamwonus subcostatus v. Oberthuri; Gilmour, 1956a: 118

Jamwonus congolensis Houlbert, 1913a: 56 ([Syntypes] Congo belge central, Kassai Coll. Oberthür MNHN)

Jamwonus subcostatus v. angolensis; Gilmour, 1956a: 118 [misspelling]

Navosoma

Blanchard, 1843

[Monotypie] *Navosoma triste* Blanchard, 1847

Navosome Blanchard, 1845: 141

Naviosoma Burmeister, 1865 [misspelling]

Naosoma Gemminger & Harold, 1873 [misspelling]

26 **Navosoma luctuosum (Schönherr, 1817)**

Prionus Luctuosus Schönherr, 1817: 346 ([Holotype] inconnue LOST) [Olivier, Entomologie 1795 IV (n° 66) pl. 4, fig. 15]

Callipogon (Navosoma) luctuosum; Lameere, 1904: 67 (Lameere, 1913: 46 [catalogue]; Melzer, 1919: 96)

Callipogon (Navosoma) luctuosum; Bruch, 1912: 181 (Monné & Zajciw, 1972: 51; Monné, 1995: 19)

Callipogon luctuosum; Blackwelder, 1946: 553

Callipogon luctuosus; Buck, 1959: 579

Navosoma luctuosum; Santos-Silva & Martins, 2005: 400 (Monné et al., 2010: 334)

Ergates Biimpressus Dupont in Dejean, 1837: 341 (Brasilia) [nomen nudum]

Ergates Huberti Buquet, 1840: xxvii ([Holotype] Brésil LOST) [femelle]

Navosoma triste Blanchard, 1843: 206 ([Syntypes] Brésil MNHN)

Navosoma Triste; Thomson, 1864: 297

Navisoma triste; Burmeister, 1865: 159 [misspelling]

Naosoma triste; Gemminger & Harold, 1872 [misspelling]

Navosoma Blanchardii Thomson, 1877: 270 ([Syntypes] Brasilia MNHN)

Naosoma Blanchardi; Lameere, 1882: 4 [misspelling]

Orthomegas

Audinet-Serville, 1832

[Désignation subséquente de Thomson, 1864: 294] *Cerambyx cinnamomeus* Linné, 1758

Orthomegas (Orthomegas) Laporte de Castelnau, 1840

Callipogon (Orthomegas) Lameere, 1904

27 **Orthomegas cinnamomeus (Linné, 1758)**

Cerambyx cinnamomeus Linné, 1758: 389 ([Holotype] America MZLU)

Prionus cinnamomeus; Fabricius, 1775: 163 (Fabricius, 1793: 250, 1801: 264; Illiger, 1805: 107)

Orthomegas cinnamomeus; Audinet-Serville, 1832: 149 (Thomson, 1864: 294 [Désignation Espèce Type]; Hequet, 1996: 38; Martins et al., 2006: 266; Audureau, 2011: 86; Lingafelter, 2015: 355 [Saint Domingue ?])

Prionus (Orthomegas) cinnamomeus; Drury & Westwood, 1837: 85

Callipogon (Orthomegas) cinnamomeus; Lameere, 1904: 62 (Lameere, 1913: 45 [catalogue]; Melzer, 1919: 91; Gilmour, 1954: 35; Souza & Silva, 2012: 3)

Callipogon cinnamomeum; Blackwelder, 1946: 553

Orthomegas cinnamomeum; Chalumeau & Touroult, 2005: 51

Callipogon (Orthomegas) cinnamomeum; Morvan & Morati, 2006: 5 (Santos-Silva & Galileo, 2011: 34; Menezes et al., 2012: 56)

Prionus mucronatus Fabricius, 1775: 160 ([Holotype] America ZMUC) (Fabricius, 1793: 244, 1801: 259)

Cerambyx mucronatus; Gmelin, 1789: 1817

Cerambyx cinctus Voet, 1778: 16 (Amérique Type lost)) (nec Drury, 1773)

Prionus cinctus; Schönherr, 1817: 346

Prionus corticinus Olivier, 1790: 294 ([Holotype] Cayenne MNHN)

Cerambyx corticinus; Schönherr, 1817: 362

Orthosoma (Orthomegas) corticum; Laporte de Castelnau, 1840: 401

Orthomegas corticinus; Chenu, 1870: 307

Callipogon (Orthomegas) corticanum; Williams, 1929: 145 [misspelling]

Prionus spadiceus Dalman, 1817 [femelle]: 148 ([Holotype] NHRS)

28 **Orthomegas folschveillieri Audureau, 2011**

Orthomegas folschveillieri Audureau, 2011 : 82 ([Holotype] Mexique, Guerrero, San Jose Coll. Audureau)



29 **Orthomegas fragosoi (Bleuzen, 1993)**

Callipogon (Orthomegas) fragosoi Bleuzen, 1993: 19 ([Holotype] Chirripo, Costa Rica MNHN) (Monné, 1995: 20 [catalogue])
Orthomegas fragosoi; Audureau, 2011: 67 [comb. nov.]

30 **Orthomegas frischeiseni (Lackerbeck, 1998)**

Callipogon (Orthomegas) frischeiseni Lackerbeck, 1998: 518 ([Holotype] Peru: Marañon river Coll.Lackerbeck)
Orthomegas frischeiseni Audureau, 2011: 69 [comb. nov.]

31 **Orthomegas haxairei (Bleuzen, 1993)**

Callipogon (Orthomegas) haxairei Bleuzen, 1993: 19 ([Holotype] piste Pangayacu-Coca PK 30, Napo, Equateur MNHN) (Monné, 1995: 20 [catalogue])
Callipogon (Orthomegas) haxairei Monné & Giesbert, 1994: 8 [misspelling]
Orthomegas haxairei Audureau, 2011: 71 [comb. nov.]

32 **Orthomegas irroratus (Lameere, 1915)**

Callipogon (Orthomegas) irroratus Lameere, 1915: 55 ([Holotype] Colombie (Vallée de la Magdalena) MNHN)
Callipogon irroratum; Blackwelder, 1946: 553
Callipogon (Orthomegas) irroratum Monné, 1995: 20
Orthomegas irroratus; Audureau, 2011: 74 [comb. nov.] (Galileo et al., 2014: 2 [Ecuador])

33 **Orthomegas jaspideus Buquet, 1844**

Orthomegas jaspideus Buquet in Guérin-Méneville, 1844: 212 ([Holotype] Brésil MNHN) (White, 1853: 48; Thomson, 1878: 17; Audureau, 2011: 78)
Callipogon (Orthomegas) jaspideus Lameere, 1904: 61 (Lameere, 1913: 45 [catalogue]; Melzer, 1919: 91)
Callipogon jaspideus Carvalho & Carvalho, 1939: 50
Callipogon jaspideum Blackwelder, 1946: 553
Callipogon (Orthomegas) jaspideum Monné, 1995: 21 (Monné et al., 2010: 327)

34 **Orthomegas marechali (Bleuzen, 1993)**

Callipogon (Orthomegas) marechali Bleuzen, 1993: 18 ([Holotype] Otanche, Colombie MNHN) (Monné, 1995: 21 [catalogue])
Orthomegas marechali Audureau, 2011: 81 [comb. nov.]

35 **Orthomegas maryae (Schmid, 2011)**

Callipogon (Orthomegas) maryae Schmid, 2011: 247 ([Holotype] Guyane française: Piste n°2, Cacao Coll.Schmid)
Orthomegas maryae Audureau, 2011: 89 [comb. nov.]

36 **Orthomegas monnei (Bleuzen, 1993)**

Callipogon (Orthomegas) monnei Bleuzen, 1993: 18 ([Holotype] Nuevo Xcan, Quintana Roo, Mexique MNRJ) (Monné, 1995: 21 [catalogue])
Orthomegas monnei Audureau, 2011: 83 [comb. nov.]

37 **Orthomegas pehlkei (Lameere, 1904)**

Callipogon (Orthomegas) pehlkei Lameere, 1904: 60 ([Syntypes] Pérou ZMHB & Colombie Mus.Stettin) (Lameere, 1913: 45 [catalogue]; Monné, 1995: 23 [catalogue]; Martins & Galileo, 2010: 436)
Orthomegas marechali Jenis, 2008: 58 (illistr.) (nec Bleuzen, 1993)
Orthomegas pehlkei Giuglaris, 2005 (Audureau, 2011: 77)

38 **Orthomegas similis Gahan, 1894**

Orthomegas similis Gahan, 1894: 223 ([Syntypes] unknown BMNH) (Martins et al., 2006: 266; Audureau, 2011: 73)
Callipogon (Orthomegas) similis Lameere, 1904: 61 (Lameere, 1913: 45 [catalogue]; Melzer, 1919: 90; Bleuzen, 1993: 18; Martins & Galileo, 2010: 436; Monné et al., 2010: 334)
Callipogon similis Blackwelder, 1946: 553 (Travassos & Freitas, 1948: 615)

Callipogon joinvillei Ribeiro, 1935: 417 ([Holotype] Brasil, Santa Catarina: Joinville MNRJ)

39 **Orthomegas sylvainae Audureau, 2011**

Orthomegas pseudosimilis Giuglaris, 2005 [nomen nudum]
Orthomegas sylvainae Audureau, 2011: 75 ([Holotype] Guyane Française, Route de Kaw, PK29 MNHN)

Parachorenta

Delahaye & Santos-Silva, 2016

[Désignation orig. & Monotypie] Parachorenta demezi Delahaye & Santos-Silva, 2016

40 **Parachorenta demezi Delahaye & Santos-Silva, 2016**

Parachorenta demezi Delahaye & Santos-Silva, 2016: 1 ([Holotype] Pérou, Rio Venado, Province de Satipo, Région de Junín, 1400 m. Coll. Delahaye)

Seticeros

Perger & Santos-Silva, 2010

[Désignation orig.] Anacanthus aquilus Thomson, 1865



41 **Seticeros aquilus (Thomson, 1865)**

Anacanthus aquilus Dejean in White, 1853 (*Columbia BMNH*) [nomen nudum]
Anacanthus aquilus Thomson, 1865 ([Syntypes] *Colombie MNHN*)
Stictosomus (Anacanthus) aquilus Lameere, 1904 (Lameere, 1913 [catalogue])
Chorenta aquilus Monné, 2006 (Dalens et al., 2010 [Lectotype] *MNHN*)
Seticeros aquilus Perger & Santos-Silva, 2010 (Casari & Santos-Silva, 2010 ; Ramiirez Campos et al., 2011)

42 **Seticeros granulocephalus Ramirez Campos et al., 2011**

Seticeros granulocephalus Ramírez Campos, Esteban Durán & Santos-Silva, 2011 ([Holotype] *Costa Rica, San José: San Isidro del General, Pérez Zeledón, Rivas, La Bonita* MNCR)

43 **Seticeros tunupai Perger & Santos-Silva, 2010**

Seticeros tunupai Perger & Santos-Silva, 2010 ([Holotype] *Bolivia, Department of La Paz, Nor Yungas, street from Caranavi to Coroico, 1600–1800 m MUCR*) (Casari & Santos-Silva, 2010 ; Ramírez Campos et al., 2011)

Spiloprionus

Aurivillius, 1897

[Monotypie] *Spiloprionus sericeomaculatus* Aurivillius, 1897

44 **Spiloprionus sericeomaculatum Aurivillius, 1897**

Spiloprionus sericeomaculatus Aurivillius, 1897
Callipogon (Spiloprionus) sericeomaculatus Lameere, 1904 (Lameere, 1913 [catalogue])
Callipogon sericeomaculatus Lameere, 1912
Callipogon sericeomaculatum Blackwelder, 1946
Callipogon (Spiloprionus) sericeomaculatum Monné, 1995
Spiloprionus sericiomaculatus Santos-Silva & Martins, 2005 [misspelling]

Stictosomus

Audinet-Serville, 1832

[Monotypie] *Stictosomus semicostatus* Audinet-Serville, 1832

45 **Stictosomus semicostatus Audinet-Serville, 1832**

Stictosomus semicostatus Audinet-Serville, 1832 (Thomson, 1864 ; Hequet, 1996 ; Morvan & Morati, 2006 ; Thouvenot, 2006 ; Demez & Touroult, 2011: 98 [Pérou] ; Santos-Silva & Galileo, 2011)
Orthosoma (Stictosomus) semi-costatum Laporte de Castelnau, 1840
Stictosomus (Stictosomus) semicostatus Lameere, 1904 (Lameere, 1913 [catalogue] ; Melzer, 1919)